PATENT NO. : 6,376,519 B1 DATED : April 23, 2002

INVENTOR(S) : E. Premkumar Reddy et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14,

Line 51, please change "132-135°C" to -- 178-180°C --

Column 15,


Line 53, please change "178-180°C" to -- 138-140°C --

Signed and Sealed this

Fourth Day of February, 2003

JAMES E. ROGAN
Director of the United States Patent and Trademark Office





Attorney Docket: 6056-272

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Patent application of

E. Premkumar Reddy, et al.

Serial No.: 09/595,760

Filed:

June 16, 2000

For: 1-(4-SULFAMYLARYL)-3SUBSTITUTED

-5-ARYL-2-PYRAZOLINES AND

INHIBITORS OF CYCLOOXYGENASE-2

U.S. Patent No.:

6,376,519 B1

Issue Date:

April 23, 2002 ertificate

SEP 2 6 2002

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR § 1.323

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Upon reviewing the above identified Patent, Patentee noted an error which should be corrected. In the patent, at column 14, line 51 please change "132-135°C" to "178-180°C" and at column 15, line 53 change "178-180°C" to "138-140°C".

CERTIFICATE OF MAILING UNDER 37 C.F.R. 1.8(a)

I hereby certify that this paper, along with any paper referred to as being attached or enclosed, is being deposited with the United States Postal Service on the date indicated below, with sufficient postage, as first class mail, in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

BY Jackie Williams

DATE:

09/25/2002 MLAKEW1 00000002 6376519

01 FC:145

100.00 OP

The errors corrected are of a clerical nature and of minor character. The errors occurred in good faith. The proposed corrections would not require reexamination; nor do they constitute new matter.

A check in the amount of \$100.00 is enclosed for payment of the correction. Please charge **Deposit Account No. 50-0573** for any additional fee required or to credit any overcharge to the same deposit account. A duplicate copy of this sheet is enclosed.

Transmitted herewith is a proposed Substitute Certificate of Correction (PTO Form 1050), in triplicate, effecting such correction.

Patentee respectfully solicits the granting of the requested Certificate of Correction.

Respectfully submitted,

E. PREMAKUMAR REDDY, ET AL.

By:

DANIEL A. MONACO Registration No. 30,480

DRINKER BIDDLE & REATH LLP

One Logan Square 18th and Cherry Streets

Philadelphia, PA 19103-6996

Telephone No. (215) 988-3312

Facsimile No. (215) 988-2757

Attorney for Applicants



PATENT

Attorney Docket: 6056-272

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Patent application of

E. Premkumar Reddy, et al.

U.S. Patent No.:

Serial No.: 09/595,760

6,376,519 B1

Filed:

June 16, 2000

Issue Date:

April 23, 2002

For:

1-(4-SULFAMYLARYL)-3SUBSTITUTED

-5-ARYL-2-PYRAZOLINES AND

INHIBITORS OF CYCLOOXYGENASE-2

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR § 1.323

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Upon reviewing the above identified Patent, Patentee noted an error which should be corrected. In the patent, at column 14, line 51 please change "132-135°C" to "178-180°C" and at column 15, line 53 change "178-180°C" to "138-140°C".

CERTIFICATE OF MAILING UNDER 37 C.F.R. 1.8(a)

I hereby certify that this paper, along with any paper referred to as being attached or enclosed, is being deposited with the United States Postal Service on the date indicated below, with sufficient postage, as first class mail, in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

DATE: 9/17/02

The errors corrected are of a clerical nature and of minor character. The errors occurred in good faith. The proposed corrections would not require reexamination; nor do they constitute new matter.

A check in the amount of \$100.00 is enclosed for payment of the correction. Please charge **Deposit Account No. 50-0573** for any additional fee required or to credit any overcharge to the same deposit account. A duplicate copy of this sheet is enclosed.

Transmitted herewith is a proposed Substitute Certificate of Correction (PTO Form 1050), in triplicate, effecting such correction.

Patentee respectfully solicits the granting of the requested Certificate of Correction.

Respectfully submitted,

E. PREMAKUMAR REDDY, ET AL.

By

DANIEL A. MONACO Registration No. 30,480

DRINKER BIDDLE & REATH LLP

One Logan Square

18th and Cherry Streets

Philadelphia, PA 19103-6996

Telephone No. (215) 988-3312

Facsimile No. (215) 988-2757

Attorney for Applicants

Patent No.: 6,376,519 B1

Dated: April 23, 2002

Inventor(s): E. Premkumar Reddy, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In the Petent:

∠ column 14, line 51 please change "132-135°C" to "178-180°C"

★t column 15, line 53 please change "178-180°C" to "138-140°C"

Mailing Address of Sender: Drinker Biddle & Reath, LLP One Logan Square 18th and Cherry Streets Philadelphia, PA 19103-6996

PATENT NO. 6.376.519 B1 No. of add'l copies @ 30¢ per page

Substitute PTO Form 1050 (REV 3-82)

Patent No.: 6,376,519 B1

Dated: April 23, 2002

Inventor(s): E. Premkumar Reddy, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In the Patent:

At column 14, line 51 please change "132-135°C" to "178-180°C"

At column 15, line 53 please change "178-180°C" to "138-140°C"

Mailing Address of Sender: Drinker Biddle & Reath, LLP One Logan Square 18th and Cherry Streets Philadelphia, PA 19103-6996

PATENT NO. 6,376,519 B1 No. of add'l copies @ 30¢ per page

Substitute PTO Form 1050 (REV 3-82)

Patent No.: 6,376,519 B1

Dated: April 23, 2002

Inventor(s): E. Premkumar Reddy, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In the Patent:

At column 14, line 51 please change "132-135°C" to "178-180°C"

At column 15, line 53 please change "178-180°C" to "138-140°C"

Mailing Address of Sender: Drinker Biddle & Reath, LLP One Logan Square 18th and Cherry Streets Philadelphia, PA 19103-6996

PATENT NO. 6.376,519 B1 No. of add'l copies @ 30¢ per page

Substitute PTO Form 1050 (REV 3-82)